

WCRWG Status Report:

2016-08-16

Notes and Updates since last report

1. No reports received.

Donations received since last report

1. A cash donation was received from Trevor Brinch ZS1TR on 2016-08-10.
2. It has been **1 week** since the last donation was reported.

General requirements: upgrade and maintenance program

1. Cash donations
2. High quality N-type male and female connectors for ½" heliax
3. VHF and UHF ferrite circulators.

Scheduled repeater usage

Please be aware of the following scheduled use of the specified repeaters and, except for emergency traffic, kindly keep them clear for these activities. Times are given in SAST.

USE	USER	AFFECTED REPEATERS		FROM	TO	ON	NOTES
Bulletin	ZS1F	145.700	Constantiaberg	19.00	20.00	Mondays	Amateur Radio Newline
Bulletin	HWC	145.700	Constantiaberg	19.30	20.30	Wednesdays	Except the first Wednesday of each month
		145.625	Piketberg				Link system partitioned at Brenton-on-Sea
		434.600	Hanskop				145.650 Hawequa, 145.600 Hanskop isolated
		145.675	Jonaskop				
		145.650	Riversdal				
		145.700	George				
Bulletin	ZS1OAK	145.750	Kanonkop	19.30	20.30	Thursdays	Oakdale Club weekly bulletin
Bulletin	BARK	145.625	Piketberg	07.45	08.00	Sundays	Link system partitioned at Brenton-on-Sea
		145.650	Hawequa				
		434.600	Hanskop				
		145.600	Hanskop				
		145.675	Jonaskop				
		145.650	Riversdal				
145.700	George						
Bulletin	CTARC	145.750	Kanonkop	08.30	09.30	Sundays	SARL bulletin followed by club bulletin
Bulletin	ZS1AAZ	145.750	Kanonkop	19.00	20.00	Sundays	Amateur Radio Today
Rally	ZS1VDV	145.675	Jonaskop	07.00	17.00	2016-08-27	Blue Crane Rally. Repeater to be isolated from the link system for the duration of the event.

Repeater Information and Status

Repeater status is usually one of **DOWN**, **Operational** or **Testing**.

145.575	<i>Oakdale</i>
Status	DOWN
Frequencies and Tones	Output: 145.575 / Input: 144.975 (ZU9DBI_C)
Mode	D*STAR (6K0F7W - GMSK)
Faults Reported	Work being done on the Oakdale tower.
Site specific requirements	None
Links	None
Notes	The repeater has a 3 minute transmit timer with an approximate 30 second lockout penalty. This is a factory setting in the controller. Users are advised to set a transmit timeout in their radios of less than 3 minutes.

145.600	<i>Hanskop (Sir Lowry's Pass)</i>
Status	Operational
Frequencies and Tones	Output: 145.600 (88.5) / Input: 145.000 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	
Site specific requirements	None
Links	1. Link to Jonaskop/145.675 operational.
Notes	DTMF codes are published on the WCRWG website

145.625	<i>Piketberg</i>
Status	Operational
Frequencies and Tones	Output: 145.625 (88.5) / Input: 145.025 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	None
Site specific requirements	None
Links	1. Link to Hawequas/145.650 operational
Notes	DTMF codes are published on the WCRWG website

145.650	<i>Hawequas (Du Toitskloof Pass)</i>
Status	Operational
Frequencies and Tones	Output: 145.650 (88.5) / Input: 145.050 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	
Site specific requirements	None
Links	1. Link to Hanskop/434.600 operational 2. Link to Piketberg/145.625 operational
Notes	DTMF codes are published on the WCRWG website

145.650	<i>Riversdale</i>
Status	Operational
Frequencies and Tones	Output: 145.650 / Input: 145.050
Mode	Analogue FM (16K0F3E)
Faults Reported	
Site specific requirements	None
Links	<ol style="list-style-type: none"> 1. Link to Jonaskop/145.675 operational 2. Link to George/145.700 operational
Notes	

145.675	<i>Jonaskop (Villiersdorp)</i>
Status	Operational
Frequencies and Tones	Output: 145.675 (88.5) / Input: 145.075 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	Faults: Link controller speech chip faulty. All DTMF macros except the linking and unlinking ones are disabled.
Site specific requirements	None
Links	<ol style="list-style-type: none"> 1. Link to Hanskop/145.600 operational 2. Link to Riversdale/145.675 operational
Notes	DTMF codes are published on the WCRWG website

145.700	<i>Constantiaberg</i>
Status	Operational
Frequencies and Tones	Output: 145.700 (88.5) / Input: 145.100 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	None
Site specific requirements	None
Links	None
Notes	Antenna upgrade being planned.

145.700	<i>George</i>
Status	Operational
Frequencies and Tones	Output: 145.700 / Input: 145.100
Mode	Analogue FM (16K0F3E)
Faults Reported	None
Site specific requirements	None
Links	Linked via 438.725MHz repeater at Dana Bay
Notes	DTMF codes are published on the WCRWG website.

145.725	<i>Hermanus</i>
Status	Operational
Frequencies and Tones	Output: 145.725 / Input: 145.125
Mode	Analogue FM-N (11K0F3E)
Faults Reported	None
Site specific requirements	None
Links	None
Notes	

145.750	<i>Kanonkop (Tygerberg)</i>
Status	Operational
Frequencies and Tones	Output: 145.750 (88.5) / Input: 145.150
Mode	Analogue FM (16K0F3E)
Faults Reported	None
Site specific requirements	None
Links	None
Notes	

434.600	<i>Hanskop (Sir Lowry's Pass)</i>
Status	Operational
Frequencies and Tones	Output: 434.600 (88.5) / Input: 433.000 (88.5)
Mode	Analogue FM-N (11K0F3E)
Faults Reported	Low audio on 434.600 from link High SWR, transmitter folding back.
Site specific requirements	None
Links	1. Link to Hawequas/145.650 operational
Notes	

434.625	<i>Kanonkop (Tygerberg)</i>
Status	Operational
Frequencies and Tones	Output: 434.625 (88.5) / Input: 433.025
Mode	Analogue FM (16K0F3E)
Faults Reported	None
Site specific requirements	None
Links	1. IRLP node 8535 2. Echolink node 796398 (ZU9DCM-R), using EchoIRLP modification.
Notes	Dial-out to other Echolink nodes requires the use of a dial prefix, currently *0 (star-zero), as it is an add-on to IRLP. The disconnect code for a call is '73' – use this for both Echolink and IRLP calls.

438.725	<i>Dana Bay</i>
Status	Operational
Frequencies and Tones	Output: 438.725 / Input: 431.125
Mode	Analogue FM (16K0F3E)
Faults Reported	None
Site specific requirements	None
Links	1. Linked to George, Riversdale
Notes	

<i>ZS0DCC</i>	<i>Helderberg Digipeater</i>
Status	Operational
Frequencies and Tones	Output: 144.800 / Input: 144.800
Mode	Digital FM-N (11K0F2D) AFSK
Faults Reported	
Site specific requirements	None
Links	None
Notes	

<i>ZS0DZ</i>	<i>Kasteelberg Digipeater</i>
Status	Testing
Frequencies and Tones	Output: 144.800 / Input: 144.800
Mode	Digital FM-N (11K0F2D) AFSK
Faults Reported	
Site specific requirements	None
Links	None
Notes	

ZS1TWO	2-Meter Beacon (Lower Burg St)
Status	Operational
Frequencies and Tones	144.435
Mode	CW
Faults Reported	None
Site specific requirements	None
Links	None
Notes	20W into a 5-element beam antenna pointing around 50 degrees (NE)

ZS1SIX	6-Meter Beacon (CPUT)
Status	Operational
Frequencies and Tones	50.080
Mode	FSK
Faults Reported	None
Site specific requirements	None
Links	None
Notes	

Send fault reports via e-mail to: wc-repeater-fault@googlegroups.com

To receive the weekly report direct via e-mail, subscribe to: wc-repeater-announcements@googlegroups.com. You can subscribe by sending an e-mail message to wc-repeater-announcements+subscribe@googlegroups.com.

The WCRWG has a new website packed full of information on all the repeaters and detailed reports of activities. You can access this website via the link <http://www.wcrwg.co.za/>

Account Information

Account Name: Western Cape Repeater Working Group (WCRWG)

Bank: FNB

Account type: Cheque

Account number: 62338034937

Branch code: 250655 (Electronic payments)

Branch code: 200612 (Counter deposits)