

# WCRWG Status Report:

2017-04-25

---

## **Notes and Updates since last report**

1. The 438.300MHz UHF multimode digital voice repeater at Bottelary is configured, and has been successfully tested, to support Yaesu System Fusion (C4FM) in both wide and narrow modes. There is not currently any link via Internet to other Fusion repeaters..

## **Donations received since last report**

1. None reported
2. It has been **1 weeks** since the last donation was reported.

## **General requirements: upgrade and maintenance program**

1. Cash donations
2. High quality N-type male and female connectors for 1/2" heliax
3. VHF and UHF ferrite circulators.

**Scheduled repeater usage**

Please be aware of the following scheduled use of the specified repeaters and, **except for emergency traffic**, kindly keep them clear for these activities. Times are given in SAST.

USE	USER	AFFECTED REPEATERS		FROM	TO	ON	NOTES
Bulletin	ZS1F	145.700	Constantiaberg	19.00	20.00	Mondays	Amateur Radio Newsline
Bulletin	HWC	145.700	Constantiaberg	19.30	20.30	Wednesdays	Except the first Wednesday of each month
		145.625	Piketberg				Link system partitioned at Brenton-on-Sea
		434.650	Hanskop				145.650 Hawequa, 145.600 Hanskop isolated
		145.725	Onrusberg				
		145.675	Jonaskop				
		145.650	Riversdal				
		145.700	George				
Bulletin	ZS1OAK	145.700	Constantiaberg	19.00	20.30	Thursdays	Oakdale Club weekly bulletin
Bulletin	BARK	145.625	Piketberg	07.45	08.00	Sundays	Link system partitioned at Brenton-on-Sea
		145.650	Hawequa				
		434.650	Hanskop				
		145.600	Hanskop				
		145.675	Jonaskop				
		145.650	Riversdal				
		145.700	George				
Bulletin	CTARC	145.750	Kanonkop	08.30	09.30	Sundays	SARL bulletin followed by club bulletin
Bulletin	ZS1AAZ	145.750	Kanonkop	19.00	20.00	Sundays	Amateur Radio Today
Rally	SCG	145.650	Hawequa	06.00	16.30	2017-04-01	CPMCC motor rally around Malmesbury area.

## **Repeater Information and Status**

Repeater status is usually one of **DOWN**, **Operational** or **Testing**.

145.575	<b><i>Bottelary</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.575 / Input: 144.975 (ZU9DBI_C)
<b>Mode</b>	D*STAR (6K0F7W - GMSK)
<b>Faults Reported</b>	None
<b>Site specific requirements</b>	Set RPT1 as ZU9DBI_C, RPT2 as ZU9DBI_G – replace _ with space.
<b>Links</b>	Internet – ZU9DBI_G gateway
<b>Notes</b>	The repeater has a 3 minute transmit timer with an approximate 30 second lockout penalty. This is a factory setting in the controller. Users are advised to set a transmit timeout in their radios of less than 3 minutes.

145.600	<b><i>Hanskop (Sir Lowry's Pass)</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.600 (88.5) / Input: 145.000 (88.5)
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	The repeater does not return to the correct channel after a long power outage when the UPS runs down. VHF and/or UHF repeater dropouts reported on audio from Jonaskop.
<b>Site specific requirements</b>	None
<b>Links</b>	1. Link to Jonaskop/145.675 operational.
<b>Notes</b>	DTMF codes are published on the WCRWG website

145.625	<b><i>Piketberg</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.625 (88.5) / Input: 145.025 (88.5)
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	None
<b>Site specific requirements</b>	None
<b>Links</b>	1. Link to Hawequas/145.650 operational
<b>Notes</b>	DTMF codes are published on the WCRWG website

145.650	<i>Hawequas (Du Toitskloof Pass)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.650 (88.5) / Input: 145.050 (88.5)
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	Big power spikes and outages reported. Audio problem from controller to VHF repeater. No CTCSS output as a result of commercial breakthrough. External temperature sensor faulty.
<b>Site-specific requirements</b>	None
<b>Links</b>	1. Link to Hanskop/434.600 operational 2. Link to Piketberg/145.625 operational
<b>Notes</b>	DTMF codes are published on the WCRWG website

145.650	<i>Riversdale</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.650 / Input: 145.050
<b>Mode</b>	Analogue FM (16K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	1. Link to Jonaskop/145.675 operational 2. Link to George/145.700 operational
<b>Notes</b>	

145.675	<i>Jonaskop (Villiersdorp)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.675 (88.5) / Input: 145.075 (88.5)
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	Interference reported – cause still being isolated.
<b>Site-specific requirements</b>	None
<b>Links</b>	1. Link to Hanskop/145.600 operational 2. Link to Riversdale/145.675 operational
<b>Notes</b>	DTMF codes are published on the WCRWG website

145.700	<i>Constantiaberg</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.700 (88.5) / Input: 145.100 (88.5)
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	Antenna upgrade being planned.

145.700	<i>George</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.700 / Input: 145.100
<b>Mode</b>	Analogue FM (16K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	Linked via 438.725MHz repeater at Dana Bay
<b>Notes</b>	DTMF codes are published on the WCRWG website.

145.725	<i>Hermanus (Onrusberg)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.725 / Input: 145.125
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	Link to Hanskop.
<b>Notes</b>	

145.750	<i>Kanonkop (Tygerberg)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 145.750 (88.5) / Input: 145.150
<b>Mode</b>	Analogue FM (16K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	

434.650	<i>Hanskop (Sir Lowry's Pass)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 434.650 / Input: 433.050
<b>Mode</b>	Analogue FM-N (11K0F3E)
<b>Faults Reported</b>	Low audio on 434.650 from link. Interference reported.
<b>Site-specific requirements</b>	None
<b>Links</b>	1. Link to Hawequas/145.650 operational
<b>Notes</b>	Change of frequency from 434.600/433.000 necessitated by interference.

434.625	<i>Kanonkop (Tygerberg)</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 434.625 (88.5) / Input: 433.025
<b>Mode</b>	Analogue FM (16K0F3E)
<b>Faults Reported</b>	
<b>Site-specific requirements</b>	None
<b>Links</b>	1. IRLP node 8535 2. Echolink node 796398 (ZU9DCM-R), using EchoIRLP modification.
<b>Notes</b>	Dial-out to other Echolink nodes requires the use of a dial prefix, currently *0 (star-zero), as it is an add-on to IRLP. The disconnect code for a call is '73' – use this for both Echolink and IRLP calls.

438.725	<i>Dana Bay</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 438.725 / Input: 431.125
<b>Mode</b>	Analogue FM (16K0F3E)
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	1. Linked to George, Riversdale
<b>Notes</b>	

438.300	<i>Bottelary</i>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 438.300 / Input: 430.700
<b>Mode</b>	1 - DMR (7K60FXD/E 4FSK) 2 - D*STAR (6K0F7W – GMSK) 3 – Yaesu System Fusion (11K2F7W - C4FM)
<b>Faults Reported</b>	None
<b>Site specific requirements</b>	For D*STAR, set RPT1 as ZU9DBI_B, RPT2 as ZU9DBI_G – replace “_” character with a space.
<b>Links</b>	Internet – ZU9DBI_G gateway
<b>Notes</b>	The repeater will autodetect modes as long as no other mode is operational.

<b>ZS0DCC</b>	<b><i>Helderberg Digipeater</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	Output: 144.800 / Input: 144.800
<b>Mode</b>	Digital FM-N (11K0F2D) AFSK
<b>Faults Reported</b>	
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	

<b>ZS0DZ</b>	<b><i>Kasteelberg Digipeater</i></b>
<b>Status</b>	<b>DOWN</b>
<b>Frequencies and Tones</b>	Output: 144.800 / Input: 144.800
<b>Mode</b>	Digital FM-N (11K0F2D) AFSK
<b>Faults Reported</b>	
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	Digipeater has been powered off pending deployment decision.

<b>ZS1TWO</b>	<b><i>2-Meter Beacon (Lower Burg St)</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	144.435
<b>Mode</b>	CW
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	20W into a 5-element beam antenna pointing around 50 degrees (NE)

<b>ZS1SIX</b>	<b><i>6-Meter Beacon (CPUT)</i></b>
<b>Status</b>	<b>Operational</b>
<b>Frequencies and Tones</b>	50.080
<b>Mode</b>	FSK
<b>Faults Reported</b>	None
<b>Site-specific requirements</b>	None
<b>Links</b>	None
<b>Notes</b>	None

Send fault reports via e-mail to: [wc-repeater-fault@googlegroups.com](mailto:wc-repeater-fault@googlegroups.com)

To receive the weekly report direct via e-mail, subscribe to: [wc-repeater-announcements@googlegroups.com](mailto:wc-repeater-announcements@googlegroups.com). You can subscribe by sending an e-mail message to [wc-repeater-announcements+subscribe@googlegroups.com](mailto:wc-repeater-announcements+subscribe@googlegroups.com).

The WCRWG has a new website packed full of information on all the repeaters and detailed reports of activities. You can access this website via the link <http://www.wcrwg.co.za/>

### **Account Information**

Account Name: Western Cape Repeater Working Group (WCRWG)

Bank: FNB

Account type: Cheque

Account number: 62338034937

Branch code: 250655 (Electronic payments)

Branch code: 200612 (Counter deposits)